## LI10600T070IA3098-TR

7.0 inch, 1024×600, IPS screen with wide viewing angle, air bonding RTP

Disclaimer: The product design is subject to alternation and improvement without prior notice.

DWIN Technology 1 www.dwin-global.com




## **Table of Contents**

1 General Feature	
2 Mechanical Drawing	5
3 Input/Output Terminals	6
4 Electrical Characteristics	8
5 Timing Characteristics	10
6 Optical Characteristics	15
7 Environmental Reliability Test	
8 Packing Capacity & Dimension	
9 Appearance Inspection	
10 Precautions for Use of LCD Modules	23
11 Laminated Screen Introduction	2.4

# 1 General Feature

## 1.1 LCD Parameters

	Feature	Description	Unit
	Size	7.0	inch
Resolution		1024(H)*600(V)	pixels
Display Spec.	Pixel Configuration	RGB stripe	(2)
	Pixel Pitch	0.0502(H)*0.1432(V)	mm
Viewing Direction		ALL	_
	Outside Dimension	165.0(W)*100.0(H)*3.5(D)	mm
	Active Area	154.21(W)*85.92(H)	mm
Mechanical Characteristics	Luminance	200	cd/m²
	LED Numbers	21 LEDS	-
	Pin Order	From left to right 50PIN_0.5mm	-
	Interface	RGB_24bit	-
Electrical Characteristics	Color Depth	16.7M	colors
	Driver IC	HX8282-A11DPD300+HX8696-A01APD300 EK79001HK + EK73215BCGA	-
Temperature	Operating Temp.	-20~70	$^{\circ}$
Range	Storage Temp.	-30~80	$^{\circ}$




#### 1.2 Touch Parameters

Feature	Description
Туре	RTP (Resistive touch panel)
Structure	ITO Film+ ITO Glass+ FPC
Outline Size(mm)	163.8(L)*97.8(W)*1.5(T)
Active Area(mm)	153.68(L)*86.18(W)
Surface Hardness	3H
Light Transmittance	78%±3%
Operating Temperature	-20~70℃
Storage Temperature	-30~80℃
Life	Over 1,000,000 times touch

Note: Requirements on Environmental Protection: RoHS
You can use dynamic screen saver wallpapers to avoid afterimages caused by fixed paper display for a long time.

DWIN Technology 4 www.dwin-global.com

### 2 Mechanical Drawing



# 3 Input/Output Terminals

## 3.1 LCD Input/Output Terminals

Pin NO.	Symbol	Function	Remark
1	VLED+	Power for LED backlight (Anode)	
2	VLED+	Power for LED backlight (Anode)	
3	VLED-	Power for LED backlight (Cathode)	X
4	VLED-	Power for LED backlight (Cathode)	
5	GND	Power ground	
6	VCOM	Common voltage	
7	DVDD	Power for Digital Circuit	
8	MODE	DE/SYNC mode select	
9	DE	Data Input Enable	
10	VS	Vertical Sync Input	
11	HS	Horizontal Sync Input	
12-19	B7-B0	Blue data	
20-27	G7-G0	Green data	
28-35	R7-R0	Red data	
36	GND	Power Ground	
37	DCLK	Sample clock	
38	GND	Power Ground	
39	L/R	Left / right selection	
40	U/D	Up/down selection	
41	VGH	Gate ON Voltage	
42	VGL	Gate Off Voltage	
43	AVDD	Power for Analog Circuit	
44	RESET	Global reset pin.	
45	NC	No connection	
46	VCOM	Common Voltage	
47	DITHB	Dithering function	
48	GND	Power Ground	
49	NC	No connection	
50	NC	No connection	

Note 1: DE/SYNC mode select. Normally pull high.

When select DE mode, MODE="1", VS and HS must pull high.

When select SYNC mode, MODE= "0", DE must be grounded.

Note 2: When input 18 bits RGB data, the two low bits of R, G and B data must be grounded.


Note 3: Data shall be latched at the falling edge of DCLK.

Note 4: Selection of scanning mode.

Setting of scan control input		Scanning direction
U/D	L/R	X
GND	DVDD	Up to down, left to right
DVDD	GND	Down to up, right to left
GND	GND	Up to down, right to left
DVDD	DVDD	Down to up, left to right

Note 5: Definition of scanning direction.

Refer to the figure as below:



Note 6: Global reset pin. Active low to enter reset state. Suggest to connect with an RC reset circuit for stability. Normally pull high.

Note 7: Dithering function enable control, normally pull high.

When DITHB="1", disable internal dithering function.

When DITHB="0", enable internal dithering function.

## 3.2 TP Input/Output Terminals

Pin NO.	Logic	Remark
1	XL	
2	YD	
3	XR	
4	YU	

DWIN Technology 7 www.dwin-global.com

#### **4 Electrical Characteristics**

#### 4.1 Driving TFT LCD Panel


Item	Symbol	Min	Тур.	Max	Unit	Remark
	DV <sub>DD</sub>	3.0	3.3	3.6	٧	Note 2
	AVDD	10.2	10.4	10.6	٧	X
Power voltage	VGн	15	17.0	19	٧	V6);
	VGL	-9.0	-7.0	-5.0	V	
Input signal voltage	Vсом	4.35	5.35	6.35	V	Note 4
Input logic high voltage	VIH	0.7DV <sub>DD</sub>	-	DV <sub>DD</sub>	V	Note 2
Input logic low voltage	VIL	0	-	0.3DV <sub>DD</sub>	V	Note 3

Note 1: Be sure to apply DVDD and VGL to the LCD first, and then apply VGH.

Note 2: DVDD setting should match the signals output voltage (refer to Note 3) of customer's system board.


Note 3: DCLK, HS, VS, RESET, U/D, L/R, DE, R0~R7, G0~G7, B0~B7, MODE, DITHB.

Note 4: Typical VCOM is only a reference value. It must be optimized according to each LCM. Please use VR and base on below application circuit.



Item	Symbol	Min	Тур.	Max	Unit	Remark
	IGн	3.0	0.2	1.0	mA	VGн=16.0V
Current for Driver	IGL	10.2	0.2	1.0	mA	VGL= -7.0V
Current for Driver	IDV <sub>DD</sub>	15	4.0	10	mA	DV <sub>DD</sub> =3.3V
	IAV <sub>DD</sub>	-9.0	20	50	mA	AV <sub>DD</sub> =10.4V


DWIN Technology 8 www.dwin-global.com



4.2 LED Backlight Specification

Item	Symbol	Min	Тур.	Max	Unit	Remark
Voltage for LED backlight	VL	8.4	9.3	10.2	V	
Current for LED backlight	IL	120	140	160	mA	
LED Life-Time	-	20000	-	-	Hr	X


Note: 21 LEDs (3 LEDs Serial, 7 ways Parallel)




# **5 Timing Characteristics**

# 5.1 Power On/Off sequence

#### 5.1.1 Power On




#### 5.1.2 Power Off



Note: (1) Low level=3FH, when NBW=L. (Normally white)


(2) Low level=00H, when NBW=H. (Normally black)



#### 5.2 AC Electrical Characteristics

0.2 AC Electrical Characteristics								
Item	Symbol	Min.	Тур.	Max.	Unit	Remark		
HS setup time	Thst	8.0	-	-	nS			
HS hold time	Thhd	8.0	-	-	nS			
VS setup time	Tvst	8.0	-	-	nS	X		
VS hold time	Tvhd	8.0	-	-	nS			
Data setup time	Tdsu	8.0	-	-	nS			
Data hole time	Tdhd	8.0	-	-	nS	0,		
DE setup time	Tesu	8.0	-	-	nS			
DE hole time	Tehd	8.0	-		nS			
DVDD power on slew rate	TPOR	-	- (	20	mS	From 0 to 90% DVDD		
RESET pulse width	TRst	1		-	mS			
DCLK cycle time	Tcoh	20	().	-	nS			
DCLK pulse duty	Tcwh	40	50	60	%			

# 5.3 Input Clock and Data Timing Diagram




5.4 Timing

Item	Symbol	Min.	Тур.	Max.	Unit	Remark
Horizontal display area	thd	-	1024	-	DCLK	
DCLK frequency	fclk	40.8	51.2	67.2	MHz	
One horizontal line	th	1114	1344	1400	DCLK	
HS pulse width	thpw	1	-	40	DCLK	
HS blanking	thb	46	46	46	DCLK	
HS front Porch	thfp	10	35	200	DCLK	

Item	Symbol	Min.	Тур.	Max.	Unit	Remark
Vertical displayarea	tvd	-	600	-	TH	
VS period time	tv	624	635	750	TH	
VS pulse width	tvpw	1	-	20	TH	
VS blanking	tvb	23	23	23	TH	

DWIN Technology 13 www.dwin-global.com

#### 5.5 Data Input Format



# **6 Optical Characteristics**


Item	Symbol	Condition	Min.	Тур.	Max.	Unit	Remark
No. 1	Тор		-	80	-		
	Bottom	CR≧10	-	80	-	Deg.	Note 2,3
Viewing Angle	Left		-	80	-		
	Right		-	80	-		
Contrast Ratio	CR	θ=0°	800	1000	-	9	Note 3
	Ton	0.0%	-	10	20	ms	Note 2
Response Time	$T_{OFF}$	θ=0°	-	15	30	ms	Note 3
	Wx		0.272	0.292	0.332		Note 1 F
Color Chromaticity	Wy		0.298	0.302	0.358		Note 1,5
Luminance	L	<u> </u>	250	300	-	cd/m²	
Uniformity(with L/G)	YU		75	80	-	%	

#### Test conditions:


DWIN Technology 15 www.dwin-global.com

Note 1: Definition of optical measurement system.

The optical characteristics should be measured in dark room. After 5 minutes operation, the optical properties are measured at the center point of LCD.



Note 2: Definition of viewing angle range and measurement system. The viewing angle is measured at the center point of the LCD by BM-7A.



Note 3: Definition of contrast ratio.

 $Contrast ratio (CR) = \frac{Luminance measured when LCD is on the "White" state}{Luminance measured when LCD is on the "Black" state}$ 

"White state ": The state is that the LCD should drive by Vwhite.


"Black state": The state is that the LCD should drive by Vblack.

Vwhite: To be determined Vblack: To be determined.

DWIN Technology 16 www.dwin-global.com

Note 4: Definition of response time.

The response time is defined as the LCD optical switching time interval between "White" state and "Black" state. Time ON (TON) is the time between photo detector output intensity changed from 90% to 10%. And time off (TOFF) is the time between photo detector output intensity changed from 10% to 90%.




Note 5: Definition of color chromaticity (CIE1931). Color coordinates measured at center point of LCD.

Note 6: Definition of luminance uniformity.

Active area is divided into 9 measuring areas (Refer Fig. 2). Every measuring point is placed at the center of each measuring area.

Luminance Uniformity (U) = Lmin/Lmax


L-----Active area length W----- Active area width



Note 7: Definition of luminance.

Measure the luminance of white state at center point.

DWIN Technology 17 www.dwin-global.com



# 7 Environmental Reliability Test

NO	Test Item	Condition	Remarks
1	High Temperature Operation	Ta=+70℃,240hours	IEC60068-2-1:2007 GB2423.2-2008
2	Low Temperature Operation	Ta=-20℃,240hours	IEC60068-2-1:2007 GB2423.1-2008
3	High Temperature Storage	Ta=+80℃,240hours	IEC60068-2-1:2007 GB2423.2-2008
4	Low Temperature Storage	Ta=-30℃,240hours	IEC60068-2-1:2007 GB2423.1-2008
5	Storage at High Temperature and Humidity	Ta=+60℃,90% RH max,240hours	IEC60068-2-78 :2001 GB/T2423.3-2006
6	Thermal Shock (non-operation)	-30℃ 30 min~+85℃ 30 min, for a total 100cycles, Start with cold temperature and end with high temperature.	Start with cold temperature, End with high temperature, IEC60068-2-14:1984, GB 2423.22-2002
7	ESD(non-operation)	± 2KV, Human Body Mode, 100pF/1500 Ω	IEC61000-4-2:2001 GB/T 17626.2-2006
8	Vibration Test	Frequency range:10~55Hz Stroke:1.5mm Sweep:10Hz~55Hz~10Hz 2 hours for each direction of X.Y.Z. (6 hours for total)	IEC60068-2-6:1982 GB/T 2423.10-1995
9	Mechanical Shock (non-operation)	Half Sine Wave 60G 6ms, ±X, ±Y, ±Z 3times for each direction	IEC60068-2-27:1987 GB/T 2423.5-1995
10	Package Drop Test	Height:60cm,1corner,3 edges,6 surfaces	IEC60068-2-32:1990 GB/T 2423.8-1995

DWIN Technology 18 www.dwin-global.com

# 8 Packing Capacity & Dimension

Dimension					
Dimension(mm)	165(W)*100(H)*5(D)				
Net Weight	-				
Packing Capacity					
Size	LCD Size and Resolution	Layer	Quantity (Pcs)		
250mm(L)x200mm(W)x80mm(H)	7.0 inch 1024*600	1	1		
600mm(L)x450mm(W)x300mm(H)	7.0 inch 1024*600	1	80		

#### Packing instruction:

The LCD+TP is placed in the grid, covered with a PE static bag and compactly assembled, the upper and the lower layers of the grid are protected by buffer spaces.

The LCD covered with a PE static bag and compactly assembled





placed in the grid





The upper and the lower layers of the grid are protected by buffer spaces





Packed



# **9 Appearance Inspection**

#### 9.1 General rules for inspection

- 9.1.1 Anti-static wearables (anti-static wristbands, gloves) must be worn during the inspection.
- 9.1.2 Do not use bare hands to touch the position of the device, golden fingers, and the surface of the screen to prevent the sweat from human hands from causing oxidation and affecting the appearance.
- 9.1.3 It is forbidden to stack products out of specification and handle them with care to avoid damage to components.
- 9.1.4 The repaired products need to be inspected to prevent rosin and tin slag from exceeding the specifications.
- 9.1.5 When technical documents and process documents have specific requirements for products, the technical documents and process documents shall be the main requirements.

#### 9.2 Inspection conditions

9.2.1 The conditions of display function check

Angle: ±5°;

Inspection method: visual inspection. The inspection object is 30-40cm away from the light source, and the eye is 30-40cm away from the inspection object;


Illumination: 300-500Lux; Inspection time: 5-10S.

9.2.2 Visual inspection conditions

Angle: ±45°;

Inspection method: visual inspection. The inspection object is 30-40cm away from the light source, and the eye is 30-40cm away from the inspection object;

Illumination: 800-1500Lux; Inspection time: 5-10S.



9.3 Inspection standard

Туре	Test Items	Judgement Standard	Defect Category
Display state	Dead pixels	No dead pixels	
	mura	From different angles, the brightness is required to be uniform.  Under the 64-level grayscale or pure black interface, there should be no uneven display brightness within the viewing angle range of 45° through 6% ND FILTER.  Y series (TV film) LCD screen does not have specific requirements, and the picture inspection does not affect the display as qualified.  Black and white mottled	Slight defect
	Light leakage	Under the 64-level grayscale or pure black interface, there should be no obvious light leakage within the viewing angle range of 45° by visual inspection or through 6% ND FILTER.  Y series (TV LCD screen) series can be without obvious visual defects.	Slight defect
	Linear foreign bodies	<ol> <li>1. W≤0.05, L≤2mm, negligible;</li> <li>2. 0.05mm<w≤0.1mm, li="" l≤2mm,="" n≤3;<=""> <li>3. W&gt;0.1mm, L&gt;2mm, not allowed.</li> </w≤0.1mm,></li></ol>	Slight defect
	Bubble in OCA	1. D<0.20mm, negligible; 2. 0.20mm <d≤0.30mm, and,="" ds="" n≤4="">10mm; 3. 0.30mm<d≤0.35mm, and,="" ds="" n≤3="">10mm; 4. 0.35mm<d, (guarantee="" 0.2mm="" area:="" fault.="" outside="" td="" va)<="" within=""><td>Slight defect</td></d,></d≤0.35mm,></d≤0.30mm,>	Slight defect
Screen surface	Within the effective area	Spotted:  1. D≤0.2mm and it is not a piece, it is not counted;  2. 0.2mm <d≤0.5mm, 3.="" d="" n≤3;="">0.5mm, L&gt;0.5mm, W&gt;0.5mm are not allowed;  (The spotted foreign objects shall not exceed the point-line gauge D=0.5, and the black dot coverage shall be checked, and the spotted foreign objects shall be judged within the range of D=0.5)  Linear:  1. W≤0.05, L≤2mm, ignored;  2. 0.05<w≤0.1mm, 3.="" l≤2mm,="" n≤3;="" w="">0.1mm, L&gt;2mm, not allowed.</w≤0.1mm,></d≤0.5mm,>	Slight defect
	Outside the effective area Foreign objects Scratches Air bubbles	Foreign objects are not checked, and bubbles are not allowed to D>1mm; Non-inductive scratches of no more than 0.1×8mm are allowed.	Slight defect



	Notch  Glass side Foreign objects Dirty Cracks Goldfinger crease Crease  Top wound,	1. Does not affect the appearance from the front; 2. Does not affect the relevant alignment; 3. X≤1mm, Y≤1mm, N≤2.  1. The foreign body on the side is not controlled; 2. The paint pen marks on the side are not controlled; 3. Side oily note printing is not allowed.  Not allowed.  Slight creases are not controlled; The crease is whitish and has lines, which is not allowed.	Slight defect Slight defect Heavy deficit
	Glass side Foreign objects Dirty Cracks Goldfinger crease Crease Top wound,	<ul> <li>2. Does not affect the relevant alignment;</li> <li>3. X≤1mm, Y≤1mm, N≤2.</li> <li>1. The foreign body on the side is not controlled;</li> <li>2. The paint pen marks on the side are not controlled;</li> <li>3. Side oily note printing is not allowed.</li> <li>Not allowed.</li> <li>Slight creases are not controlled;</li> </ul>	Slight defect Heavy deficit
	Foreign objects Dirty Cracks Goldfinger crease Crease Top wound,	2. The paint pen marks on the side are not controlled; 3. Side oily note printing is not allowed.  Not allowed.  Slight creases are not controlled;	defect Heavy deficit
	Goldfinger crease Crease Top wound,	Slight creases are not controlled;	deficit
	Top wound,		l la ava
	•	The diedae is willight and has inles, which is not allowed.	Heavy deficit
FPC -	stab wound	No damage to the line, D≤0.2mm;  Damage to the line is not allowed.	Heavy deficit
	Scratch	Slight scratches on the surface are not controlled;  Damage to the line is not allowed.	Heavy deficit
	Goldfinger scratch	W≤0.05mm, no control; W>0.05mm, not allowed;	Heavy deficit
	Component	Under-soldering, over-soldering and false soldering are not allowed.	Heavy defici
		Under-soldering, over-soldering and false soldering are not allowed.	

#### 10 Precautions for Use of LCD Modules

#### 10.1 Handling Precautions

- 10.1.1 The display panel is made of glass. Do not subject it to a mechanical shock by dropping it from a high place, etc.
- 10.1.2 If the display panel is damaged and the liquid crystal substance inside it leaks out, be sure not to get any in your mouth, if the substance comes into contact with your skin or clothes, promptly wash it off using soap and water.
- 10.1.3 Do not apply excessive force to the display surface or the adjoining areas since this may cause the color tone to vary.
- 10.1.4 The polarizer covering the display surface of the LCD module is soft and easily scratched. Handle this polarizer carefully.
- 10.1.5 If the display surface is contaminated, breathe on the surface and gently wipe it with a soft dry cloth. If still not completely clear, Can only use LCD dedicated cleaner, the following organic solvent can not be used:
  - Isopropyl alcohol
  - Ethyl alcohol
  - Ketone
  - Aromatic solvents
  - 10.1.6 Do not attempt to disassemble the LCD Module.
  - 10.1.7 If the logic circuit power is off, do not apply the input signals.
  - 10.1.8 To prevent destruction of the elements by static electricity, be careful to maintain an
  - 10.1.9 optimum work environment.
    - 10.1.9.1 Be sure to ground the body when handling the LCD Modules.
    - 10.1.9.2 Tools required for assembly, such as soldering irons, must be properly ground.
- 10.1.9.3 To reduce the amount of static electricity generated, do not conduct assembly and other work under dry conditions.
- 10.1.9.4 The LCD Module is coated with a film to protect the display surface. Be care when peeling off this protective film since static electricity may be generated.
- 10.2 Storage precautions
- 10.2.1 When storing the LCD modules, avoid exposure to direct sunlight or to the light of fluorescent lamps.
- 10.2.2 The LCD modules should be stored under the storage temperature range. If the LCD modules will be stored for a long time, the recommend condition is:
- Temperature: 0°C ~ 40°C Relatively humidity: ≤80%.
- 10.2.3 The LCD modules should be stored in the room without acid, alkali and harmful gas. 10.3 Transportation Precautions
- 10.3.1 The LCD modules should be no falling and violent shocking during transportation, and also should avoid excessive press, water, damp and sunshine.

DWIN Technology 23 www.dwin-global.com

#### 11 Laminated Screen Introduction

DWIN adopts original class A glass and the entire production is in the park from cleaning, cutting, bonding, and laminating of large glass to backlight assembly, quality inspection, and aging.

There are 12,000 square meters of clean workshop, with a monthly production capacity of about 2.5 million pieces. Each piece of LCD produced in the factory is for 30 days of aging.

#### 11.1 Laminated screen classification

The laminated screen is mainly composed of cover glass, TP and LCD. The lamination methods can be either frame lamination or full lamination. The frame lamination process fixes TP with the four sides of LCD by 3M adhesive, which is one of the most common lamination methods. Full lamination is to seamlessly bond LCD and TP by optical adhesive. Compared to frame lamination, full lamination features by moisture-proof, dust-proof, high stability, high quality display, and can achieve the visible display under strong light.

#### 11.2 ODM service

DWIN technology has built the Huan DWIN Science Park with a construction area of 250000 square meters (In addition, another 148000 square meters are under construction), integrating industrial chain of LCM, SMT, CTP, RTP, mold injection, and Sheet metal punching. DWIN can guarantee the production of LCM, CTP and RTP with first-class technology, highly automated and intelligent manufacturing equipment.

The production capacity of LCM lines is 2.5 million. The LCM lines support the production of LCM with high luminance(1200 nit), wide operating temperature(-40~85°C), anti-electromagnetic interference, sunlight readability and HDMI interface.

The production capacity of RTP lines is 5 hundred thousand. The RTP lines support the production of customized 4-wire RTP and 5-wire RTP, anti-UV material and AG material.

The production capacity of CTP lines is 1 million. The CTP lines support the production of customized CTP, including 1.3~21.5 inches (unconventional size), circular CTP, the shape, color and logo of cover plate, anti-UV, anti- fingerprint and AG material. They can also support the customization of various kinds of technologies, such as OCA lamination, ultrathin GFF, optical bonding, 2.5D and sunlight readability.

DWIN Technology 24 www.dwin-global.com





CTP lines

SMT lines





RTP lines

LCM lines





Final inspection lines

**IQC** lines





Laboratories

#### **Record of Revision**

Rev	Date	Description	Editor
00	2023-04-21	First Release	Chen
01	2023-06-02	Update Luminance	Chen
02	2023-09-22	Update Electrical Specification	Chen

Please contact us if you have any questions about the use of this document or our products, or if you would like to know the latest information about our products:

Customer service tel: +86 400 018 9008

Customer service email: dwinhmi@dwin.com.cn

DWIN developer forum: https://forums.dwin-global.com/index.php/forums/

Thank you all for continuous support of DWIN, and your approval is the driving force of our progress!

DWIN Technology 26 www.dwin-global.com